

Cable Plugs and Sockets – EN60974-12



Murex Type CC17 Plug

Stock Code	Cable Size	Length	Max Amps
651001	70mm ²	175mm	400A



Murex Type CC18 Socket

Stock Code	Cable Size	Length	Max Amps
651002	70mm ²	150mm	400A



Wescol/Butcher Brothers Plug

Stock Code	Cable Size	Length	Max Amps
651003	70mm ²	164mm	450A



Wescol/Butcher Brothers Socket

Stock Code	Cable Size	Length	Max Amps
651004	70mm ²	155mm	450A




Dinse Cable Plug

Stock Code	Cable Size	Length	Max Amps
CP10-25	10-25mm ²	65mm	150A
CP35-50	35-50mm ²	105mm	315A
CP50-70	50-70mm ²	110mm	400A
CP70-95	70-95mm ²	110mm	500A



Dinse Cable Socket

Stock Code	Cable Size	Length	Max Amps
CS10-25	10-25mm ²	65mm	200A
CS35-50	35-50mm ²	105mm	315A
CS50-70	50-70mm ²	110mm	400A
CS70-95	70-95mm ²	110mm	500A



Dinse Panel Mounted Plug

Stock Code	Cable Size	Max Amps	Panel Cut Out	Outer Diameter
PP10-25	10-25mm ²	200A	20mm	32mm
PP35-50	35-50mm ²	315A	30mm	42mm
PP50-70	50-70mm ²	400A	30mm	42mm
PP70-95	70-95mm ²	500A	30mm	42mm

FEATURES


- Designed to Connect Cables to the Power Source
- Push and Twist Design
- Foolproof Locking System



Dinse Panel Mounted Socket


Stock Code	Cable Size	Max Amps	Panel Cut Out	Outer Diameter
PS10-25	10-25mm ²	200A	20mm	32mm
PS35-50	35-50mm ²	315A	30mm	42mm
PS50-70	50-70mm ²	400A	30mm	42mm
PS70-95	70-95mm ²	500A	30mm	42mm

Earth Clamps – CE BS 638-5



200A Crocodile Earth Clamp

Stock Code	Cable Size	Max Amps	Duty Cycle
661200	25mm ²	200A	35%



400A Crocodile Earth Clamp

Stock Code	Cable Size	Max Amps	Duty Cycle
661400	70mm ²	400A	35%



400A Cast Steel Screw Type Earth Clamp

Stock Code	Cable Size	Max Amps	Duty Cycle
662400	95mm ²	400A	35%



600A Cast Brass Screw Type Earth Clamp

Stock Code	Cable Size	Max Amps	Duty Cycle
662600	95mm ²	600A	35%



700A All Brass Screw Type Earth Clamp

Stock Code	Cable Size	Max Amps	Duty Cycle
662700	95mm ²	700A	35%

Electrode Holders – CE EN 60974-11



400A Electrode Holder – Yellow

Stock Code	Cable Size	Max Amps	Duty Cycle	Max Electrode
655400-2	50mm ²	400A	35%	5mm ²



600A Electrode Holder – Yellow

Stock Code	Cable Size	Max Amps	Duty Cycle	Max Electrode
655600-2	70mm ²	600A	35%	6.3mm ²



400A Murex Electrode Holder

Stock Code	Cable Size	Max Amps	Duty Cycle	Max Electrode
656400	50mm ²	400A	35%	5mm ²



200A Crocodile Electrode Holder

Stock Code	Cable Size	Max Amps	Duty Cycle	Max Electrode
653200	25mm ²	200A	35%	3.2mm ²



400A Crocodile Electrode Holder

Stock Code	Cable Size	Max Amps	Duty Cycle	Max Electrode
653400	50mm ²	400A	35%	8mm



600A Crocodile Electrode Holder


Stock Code	Cable Size	Max Amps	Duty Cycle	Max Electrode
653600	75mm ²	600A	35%	10mm



Optimum Electrode Holder


Stock Code	Cable Size	Max Amps	Duty Cycle	Max Electrode
653300-1	35mm ²	300A	35%	4mm
653400-1	50mm ²	400A	35%	5mm

Chipping Hammers/Reel Hub Assembly



Spring Handle Chipping Hammer

Stock Code	Description	Length	Weight
671001	Spring Handled Chipping Hammer	265mm	290gms




Steel Handle Chipping Hammer

Stock Code	Description	Length	Weight
672001	Steel Handled Chipping Hammer	295mm	380gms



Large Wooden Handle Hammer

Stock Code	Description	Length	Weight
673001	Large Wooden Handle Hammer	285mm	550gms



Reel Hub Assembly

Stock Code	Description
807001	Reel Hub Assembly

MIG Pliers



Everyday Multipurpose MIG Pliers

Stock Code	Description	Nozzle Diameter
E808000	Everyday Multipurpose MIG Pliers	12-15mm



Multipurpose MIG Pliers

Stock Code	Description	Nozzle Diameter
808001	Multipurpose MIG Pliers	12-15mm
808002	Multipurpose MIG Pliers	15-18mm

Arc Air Gouging




Arc Air Gouging Torch

Stock Code	Description	Max Amps
GTK4000	1000A Arc Air Gouging Torch	1000A

FEATURES

- 1000A Max Gouging Torch
- 360° Swivel Head Assembly
- Natural 15° Head Angle
- Suits 4.0mm to 9.5mm Round Carbons
- Suits 9.5mm – 15.9mm Flat Carbons
- 2.1M Long Reinforced Rubber Cable
- Rugged Construction with Ergo Grip Handle
- Air Pressure 80 PSI



Arc Air Gouging Carbons

Stock Code	Description	Size	Pack Qty
AGC 5/32 x 12"	Arc Air Gouging Carbons Round	4mm / 5/32"	50
AGC 3/16 x 12"	Arc Air Gouging Carbons Round	5mm / 3/16"	50
AGC 1/4 x 12"	Arc Air Gouging Carbons Round	6mm / 1/4"	50
AGC 5/16 x 12"	Arc Air Gouging Carbons Round	8mm / 5/16"	50
AGC 3/8 x 12"	Arc Air Gouging Carbons Round	10mm / 3/8"	50
AGC 1/2 x 12"	Arc Air Gouging Carbons Round	13mm / 1/2"	50



Arc Air Jointed Carbons

Stock Code	Description	Size	Pack Qty
AGCJ 5/16 x 17"	Arc Air Jointed Carbons 430mm	8mm / 5/16"	50
AGCJ 3/8 x 17"	Arc Air Jointed Carbons 430mm	10mm / 3/8"	50
AGCJ 1/2 x 17"	Arc Air Jointed Carbons 430mm	13mm / 1/2"	50
AGCJ 5/8 x 17"	Arc Air Jointed Carbons 430mm	16mm / 5/8"	50
AGCJ 3/4 x 17"	Arc Air Jointed Carbons 430mm	19mm / 3/4"	50


French Chalk



French Chalk Holder & Chalk

Stock Code	Description
684001	French Chalk Holder & Chalk
684003	French Chalk Flat 125mm x 12mm x 5mm

Hose Connections and Fittings



Cable Lug

Stock Code	Description
691025	Lug – Reusable 25mm ² 200A
691035	Lug – Reusable 35mm ² 300A
691050	Lug – Reusable 50mm ² 400A
691070	Lug – Reusable 70mm ² 600A
692050	Lug – Reusable 50/70mm ² 400A
692070	Lug – Reusable 75/95mm ² 600A



Copper Crimp Lug

Stock Code	Description
CT25-10	Crimp Lug 16-25mm with 10mm Lug
CT50-12	Crimp Lug 35-50mm with 12mm Lug
CT50-16	Crimp Lug 35-50mm with 16mm Lug
CT70-12	Crimp Lug 50-70mm with 12mm Lug
CT70-16	Crimp Lug 50-70mm with 16mm Lug

Wire Brushes



Stainless Steel Wire Brush

Stock Code	Description
SS2W	2 Rows Wide 16 Deep Stainless Steel, Wooden Handle
SS3W	3 Rows Wide 16 Deep Stainless Steel, Wooden Handle
SS4W	4 Rows Wide 16 Deep Stainless Steel, Wooden Handle

FEATURES

- Used to Clean Stainless Steel and Aluminium
- Stainless Steel Bristles



Mild Steel Wire Brush

Stock Code	Description
MS2W	2 Rows Wide 16 Deep Steel, Wooden Handle
MS3W	3 Rows Wide 16 Deep Steel, Wooden Handle
MS4W	4 Rows Wide 16 Deep Steel, Wooden Handle

FEATURES

- Used to Clean Mild Steel, Carbon Steel
- Carbon Steel Bristles

Cable Kits



Earth Cable Clamp Kit

Stock Code	Description	Amps	Dinse
CKC203	Earth Cables Clamp Kit x 3m	200A	10-25 Dinse
CKC203I	Earth Cables Clamp Kit x 3m	200A	35-50 Dinse
CKC204	Earth Cables Clamp Kit x 4m	200A	10-25 Dinse
CKC205	Earth Cables Clamp Kit x 5m	200A	10-25 Dinse
CKC403	Earth Cables Clamp Kit x 3m	400A	35-50 Dinse
CKC404	Earth Cables Clamp Kit x 4m	400A	35-50 Dinse
CKC405	Earth Cables Clamp Kit x 5m	400A	35-50 Dinse

FEATURES

- Single Insulated PVC Welding Cable
- Dinse Plug
- Crocodile Clamp



Electrode Holder Cable Kit

Stock Code	Description	Amps	Dinse
CKE203	Electrode Holder Cable Kit x 3m	200A	10-25 Dinse
CKE203I	Electrode Holder Cable Kit x 3m	200A	35-50 Dinse
CKE204	Electrode Holder Cable Kit x 4m	200A	10-25 Dinse
CKE205	Electrode Holder Cable Kit x 5m	200A	10-25 Dinse
CKE403	Electrode Holder Cable Kit x 3m	400A	35-50 Dinse
CKE404	Electrode Holder Cable Kit x 4m	400A	35-50 Dinse
CKE405	Electrode Holder Cable Kit x 5m	400A	35-50 Dinse

FEATURES

- Single Insulated PVC Welding Cable
- Dinse Plug
- Crocodile Electrode Holder

Anti-Spatter



Protect Pre-weld Anti-Spatter

Stock Code	Description	Size
WR4075	Protect Pre-weld Anti-Spatter	750ml
WR4005	Protect Pre-weld Anti-Spatter	5kg
WR4025	Protect Pre-weld Anti-Spatter	25kg

FEATURES

- New high concentrated formula which is 3 times stronger than previous products
- Silicon free
- High concentration
- High heat resistance



Anti-Spatter

Stock Code	Description	Size
WR1030	Anti-Spatter	300ml



Bulk Water Based Anti-Spatter Fluid

Stock Code	Description	Size
WR3025	Bulk Water Based Anti-Spatter Fluid	25kg/25l
WR3005	Bulk Water Based Anti-Spatter Fluid	5kg/5l



Galvanising Spray

Stock Code	Description	Size
WR5040	Galvanising Spray	400ml



Tip Dip

Stock Code	Description	Size
WR6050	Tip Dip	500ml



Cleaner Spray

Stock Code	Description	Size
WR7010	Cleaner Spray	400ml



Developer Spray

Stock Code	Description	Size
WR7020	Developer Spray	400ml



Dye Penetrant Spray

Stock Code	Description	Size
WR7030	Dye Penetrant Spray	400ml



NDT Kit System

Stock Code	Description	Size
WR7040	NDT Kit System	400ml

FEATURES

- Includes Cleaner Spray, Developer Spray, Dye Penetrant Spray

Abrasives



Flat Super Thin Cutting Discs

Stock Code Description

CSS1010	Super Thin Cutting Disc Stainless 100x1.0x16mm/4"
CSS1110	Super Thin Cutting Disc Stainless 115x1.0x22mm/4 1/2"
CSS1210	Super Thin Cutting Disc Stainless 125x1.0x22mm/5"
CSS2319	Super Thin Cutting Disc Stainless 230x1.0x22mm/9"



Cutting Discs (DPC)

Stock Code Description

CS1025	Cutting Disc Steel 100x2.5x16mm/4"
CS1125	Cutting Disc Steel 115x2.5x22mm/4 1/2"
CS1225	Cutting Disc Steel 125x2.5x22mm/5"
CS2330	Cutting Disc Steel 230x3.0x22mm/9"
CS3035	Cutting Disc Steel 305x3.5x20mm/12" (Flat)



Grinding Discs (DPC)

Stock Code Description

GS1060	Grinding Disc Steel 100x6.0x16mm/4"
GS1160	Grinding Disc Steel 115x6.0x22mm/4 1/2"
GS1260	Grinding Disc Steel 125x6.0x22mm/5"
GS2360	Grinding Disc Steel 230x6.0x22mm/9"



Customer Service and Sales

For all your welding and safety needs

UK and Ireland Sales Hotline:
01299 269 500

Export Sales Hotline:
+44 1299 269 507

Order Line

Our sales team are available Monday to Thursday 8.30am to 6.00pm and Friday 8.30am to 5.00pm.



PHONE

Reception 01299 266 800

UK & Ireland Sales Hotline 01299 269 500

Export Sales Hotline +44 1299 269 507

Credit Control +44 1299 269 504



FAX

(+44) 01299 266 900



EMAIL

sales@parweld.co.uk

Search Line

Got a problem identifying a product or part number?

Our comprehensive competitor database has the answer. Just call us and we'll give you the information you need.

Quote Line

Need a quote?

We can usually provide our most competitive price straight away. More complex quotations within the hour.

Special Torch Line

Need a custom assembled torch – let us know.

We will assess your requirements and provide a quotation within the hour. We will then complete the order and dispatch to you within 48 hours of your order confirmation.

Bespoke Line

Need a bespoke welding torch or PPE product?

Contact your Account Manager who will be able see how we can help.

©All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system or transmitted by any means without the permission of Parweld® the copyright holder.

Images are for representation purposes only and are subject to change at any time.